



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




胃腸科

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號







內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
4.0	30°	140	R4030-140
4.0	30°	280	R4030-280

滅菌盒尺寸

可對應濕熱滅菌及高溫高壓蒸氣滅菌



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




耳鼻喉科內視硬鏡

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號







內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
1.9	0°	107.5	R190-107
2.7	0°	110	R270-110
2.7	30°	107.5	R2730-107
2.7	70°	107.5	R2770-107
3.0	0°	175	R300-175
3.0	30°	175	R3030-175
3.0	70°	175	R3070-175
3.0	0°	55	R300-55
3.0	30°	80	R3030-80
3.0	70°	80	R3070-80

外徑mm	鏡頭角度	工作長度mm	型號
4.0	0°	175	R400-175
4.0	0°	45	R400-45
5.0	0°	302	R500-302
5.0	30°	302	R5030-302
5.0	0°	175	R500-175
5.0	70°	175	R5070-175
6.0	0°	150	R600-150
6.0	0°	300	R600-300
10	0°	230	R1000-230

滅菌盒尺寸

可對應濕熱滅菌及高溫高壓蒸氣滅菌



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




口腔及額面外科

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號







內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
1.9	0°	55	R190-55
1.9	0°	107.5	R190-107
2.7	0°	110	R270-110
2.7	30°	107.5	R2730-107
2.7	70°	107.5	R2770-107
2.7	0°	180	R270-180
2.7	30°	180	R2730-180
2.7	70°	180	R2770-180
3.0	0°	175	R300-175
3.0	30°	175	R3030-175
3.0	70°	175	R3070-175

外徑mm	鏡頭角度	工作長度mm	型號
4.0	0°	175	R400-175
4.0	70°	175	R4070-175
4.0	30°	140	R4030-140
4.0	0°	180	R400-180
4.0	30°	180	R4030-180
4.0	45°	180	R4045-180
4.0	70°	180	R4070-180
5.0	0°	302	R500-302
5.0	30°	302	R5030-302
6.0	0°	150	R600-150
10.0	0°	230	R1000-230

滅菌盒尺寸

可對應濕熱滅菌及高溫高壓蒸氣滅菌



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




胸外科和肺科

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號







內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
1.0	0°	260	R100-260
1.9	0°	175	R190-175
2.7	0°	180	R270-180
2.7	0°	270	R270-330
3.0	0°	302	R300-302
3.0	0°	330	R300-330
3.0	30°	302	R3030-302

外徑mm	鏡頭角度	工作長度mm	型號
4.0	30°	280	R4030-280
4.0	0°	302	R400-302
4.0	30°	302	R4030-302
5.0	0°	302	R500-302
5.0	30°	302	R5030-302
10	0°	230	R1000-230
10	30°	330	R10030-330
10	0°	330	R1000-330

滅菌盒尺寸

可對應濕熱滅菌及高溫高壓蒸氣滅菌



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC



婦科


CE 2460

ISO 13485

GMP 1190

AS 9100D

衛部醫器製字第 006503 號







內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
1.0	0°	260	R100-260
2.0	0°	270	R200-270
3.0	30°	302	R3030-302
4.0	0°	302	R400-302
4.0	30°	302	R4030-302
4.0	12°	300	R4012-300
10	0°	230	R1000-230

滅菌盒尺寸

可對應濕熱滅菌及高溫高壓蒸氣滅菌



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




肛肠科

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號




內視鏡規格


外徑mm	鏡頭角度	工作長度mm	型號
4.0	30°	280	R4030-280
5.0	30°	302	R5030-302

滅菌盒尺寸


可對應濕熱滅菌及高溫高壓蒸氣滅菌




A



B



C



D

A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm



ADRONIC
愛德羅尼克內視鏡



GMP TFDA CE FC




麻醉及急救外科

CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第 006503 號




內視鏡規格


外徑mm	鏡頭角度	工作長度mm	型號
3.0	0°	330	R300-330
4.0	0°	302	R400-302
5.0	0°	302	R500-302
5.0	30°	302	R5030-302

滅菌盒尺寸


可對應濕熱滅菌及高溫高壓蒸氣滅菌




A



B



C



D

A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm

脊椎關節鏡與運動醫學


CE 2460
GMP 1190

ISO 13485
AS 9100D

衛部醫器製字第006503號

4K硬式檢查鏡

- 取得衛福部二類認證許可上市
- 非球面鏡頭，高成像品質，影像清晰



內視鏡規格

外徑mm	鏡頭角度	工作長度mm	型號
1.9	0°	55	R190-55
2.7	30°	107.5	R2730-107
2.7	30°	180	R2730-180
4.0	0°	180	R400-180
4.0	30°	180	R4030-180
4.0	70°	180	R4070-180

滅菌盒尺寸

- 可對應濕熱滅菌及高溫高壓蒸氣滅菌

A



B



C



D



A-長580×寬220×高135 mm

B-長500×寬185×高75 mm

C-長350×寬120×高75 mm

D-長300×寬80×高55 mm