

Gastroenterology & Hapatology


CE 2460
GMP 1190

ISO 13485
AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video




Features

Outer diameter(mm)	DOV	Working length(mm)	Model
4.0	30°	140	R4030-140
4.0	30°	280	R4030-280

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm

ENT Laryngoscopy Endoscope


CE 2460
GMP 1190

ISO 13485
AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video



Features

Diameter	DOV	Length(mm)	Model
1.9mm	0°	107.5	R190-107
2.7mm	0°	110	R270-110
2.7mm	30°	107.5	R2730-107
2.7mm	70°	107.5	R2770-107
3.0mm	0°	175	R300-175
3.0mm	30°	175	R3030-175
3.0mm	70°	175	R3070-175
3.0mm	0°	55	R300-55
3.0mm	30°	80	R3030-80
3.0mm	70°	80	R3070-80

Diameter	DOV	Length(mm)	Model
4.0mm	0°	175	R400-175
4.0mm	0°	45	R400-45
5.0mm	0°	302	R500-302
5.0mm	30°	302	R5030-302
5.0mm	0°	175	R500-175
5.0mm	70°	175	R5070-175
6.0mm	0°	150	R600-150
6.0mm	0°	300	R600-300
10mm	0°	230	R1000-230

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized

A



B



C



D



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm


General Surgery Endoscope

CE 2460 ISO 13485
GMP 1190 AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video







Features

Diameter	DOV	Length(mm)	Model
1.9mm	0°	55	R190-55
1.9mm	0°	107.5	R190-107
2.7mm	0°	110	R270-110
2.7mm	30°	107.5	R2730-107
2.7mm	70°	107.5	R2770-107
2.7mm	0°	180	R270-180
2.7mm	30°	180	R2730-180
2.7mm	70°	180	R2770-180
3.0mm	0°	175	R300-175
3.0mm	30°	175	R3030-175
3.0mm	70°	175	R3070-175

Diameter	DOV	Length(mm)	Model
4.0mm	0°	175	R400-175
4.0mm	70°	175	R4070-175
4.0mm	30°	140	R4030-140
4.0mm	0°	180	R400-180
4.0mm	30°	180	R4030-180
4.0mm	45°	180	R4045-180
4.0mm	70°	180	R4070-180
5.0mm	0°	302	R500-302
5.0mm	30°	302	R5030-302
6.0mm	0°	150	R600-150
10.0mm	0°	230	R1000-230

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm


Thoracic Surgery Endoscope

CE 2460 ISO 13485
GMP 1190 AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video




Features

Diameter	DOV	Length(mm)	Model
1.0mm	0°	260	R100-260
1.9mm	0°	175	R190-175
2.7mm	0°	180	R270-180
2.7mm	0°	270	R270-330
3.0mm	0°	302	R300-302
3.0mm	0°	330	R300-330
3.0mm	30°	302	R3030-302

Diameter	DOV	Length(mm)	Model
4.0mm	30°	280	R4030-280
4.0mm	0°	302	R400-302
4.0mm	30°	302	R4030-302
5.0mm	0°	302	R500-302
5.0mm	30°	302	R5030-302
10mm	0°	230	R1000-230
10mm	30°	330	R10030-330
10mm	0°	330	R1000-330

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm

Obstetrics & Gynecology

CE 2460

ISO 13485


GMP 1190

AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video




Features

Outer Diameter(mm)	DOV	Working length(mm)	Model
1.0	0°	260	R100-260
2.0	0°	270	R200-270
3.0	30°	302	R3030-302
4.0	0°	302	R400-302
4.0	30°	302	R4030-302
4.0	12°	300	R4012-300
10	0°	230	R1000-230

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm

Urology Endoscope

CE 2460

ISO 13485


GMP 1190

AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video



Features

Outer Diameter(mm)	DOV	Working length(mm)	Model
4.0	30°	280	R4030-280
5.0	30°	302	R5030-302

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized

A



B



C



D



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm

Anesthesia & Emergency Surgery


CE 2460
GMP 1190

ISO 13485
AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video




Features

Outer Diameter(mm)	DOV	Working length(mm)	Model
3.0	0°	330	R300-330
4.0	0°	302	R400-302
5.0	0°	302	R500-302
5.0	30°	302	R5030-302

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm

Adronic Arthroscopy Endoscope


CE 2460
GMP 1190

ISO 13485
AS 9100D

MOHW-MD-No. 006503

4K Rigid Inspection Scope

- Ministry of Health and Welfare sales approval
- Special camera design with high quality of images and video




Features

Outer diameter(mm)	DOV	Working length(mm)	Model
1.9	0°	55	R190-55
2.7	30°	107.5	R2730-107
2.7	30°	180	R2730-180
4.0	0°	180	R400-180
4.0	30°	180	R4030-180
4.0	70°	180	R4070-180

Sizes of Sterilization Box

- Sterilized depending on humid levels, uses high compressed steam to sterilized



A-L580×W220×H135 mm

B-L500×W185×H75 mm

C-L350×W120×H75 mm

D-L300×W80×H55 mm